



TECHNICAP

216, Chemin du Braousch - 06320 La Turbie / France
 Tél : 33 (0)4 92 10 85 68
 Email : technicap@wanadoo.fr / www.technicap.com

MODEL	PPS 4/3	
Collecting area (sqm)	0,05	
Shape	Cylindro-conical	
Baffle material	Phenolic Composite	
Baffle Cell diameter	9,5mm	
Aspect ratio of a cell	5,26	
Number of Samples	12	
Volume of Sampling Bottles	250ml or 500ml	
Sampling Interval	Minimum 1 minute	
Max. continuous deployment	18 months (24 months with Lithium batteries)	
Opérating Temperature	-2° to 37°	
Maximum Operating Deph	1000m (PETP) or 6000m (Titanium)	
MATERIALS		
Trap body	Glass reinforced polyester (GRP) on an alimentary gel-coat	
Rotary Disk	PETP (very hard thermoplastic)	
Sampling Bottles	HDPE	
Electronics / Motor pressure case	Thermoplastic (PETP/PEEK) or Titanium	
Rotating Mooring Bar	Titanium	
Power Supply	12 volt AA alkaline batteries pack (or 12 volt lithium on request)	
Drive motor torque	60kg/cm	
Time to shift a bottle	7 seconds	
Communications	"TCM" electronic card including a configurable temperature and inclination recorder (3D accelaration, accuracy: 0,01G) and temperature sensors (accuracy: 0,1°C)	
DIMENSIONS with:	250ml bottles	500ml bottles
Height	1310 mm	1470 mm
Diameter Max	490 mm	
WEIGHT with PETP motor, rotary disk and empty bottles		
In Air	34 kg	40 kg
In Water	18 kg	20 kg
DELIVERY : WOOD BOX		
External Dimensions (L x l x H)	145 x 43 x 65 cm	155 x 43 x 65 cm
Total Weight approx.	63 kg	71 kg



Honey comb

**500ml Bottles
Adaptator**



**Titanium
Rotating
Mooring bar**

12 Samples Rotary disk

**PETP Motor
Or
Titanium Motor**

